

FINISHES



FINISHES

LEATHER

FLORIDA
PANAMA
DREAM
RUSTICO NABUK
HIDE

LACQUER

MULTILEG COLLECTION
EXPLORER CABINET
BRIDGES
ECLIPSO COLLECTION

FABRICS

SCALA
ROCCIA
VORTICE
WOOLEN
COMBO
RAINBOW
CHROMED
LANI
TEMPO
PANEL
ALLE
GAMMA

LAMINATED

FENIX (EXPLORER DINING TABLE)
FENIX (ECLIPSO DINING TABLE)
FORBO (WORKPLACE)

MARBLE

WOOD

ASH
ASH (MULTILEG COLLECTION)
BEECH PLYWOOD (SHOWTIME CHAIR)
STAINED PLYWOOD (ECLIPSO CHAIR)
STAINED BEECH PLYWOOD (SIMPLEX)

GLIDES

FLORIDA
REF F

RECOMMENDED FOR
Contract use

COMPOSITION
Raw hide leather (corrected grain)
through dyeing aniline


TEAR RESISTANCE
>20N (UNI EN ISO 3377-1)

CRACK RESISTANCE
50.000 Cycles (UNI EN ISO 5402)


DRY RUB FASTNESS
1.000 Cycles Vol. >4 Grey scale
(UNI EN ISO 11640)

LIGHT FASTNESS
Vol. >6 Blue scale
(UNI EN ISO 105-B02)

FIRE TEST
BS 5852-0 - BS 5852-1
BS5852 CRib5 (optional)
UNI EN 1021-1
UNI EN 1021-2
NFPA 260/UFAC
California TB 117 Section E -AB-2998




Example: F55 - GREEN



F10 - BLACK




F15 - CAMEL




F54 - WHITE



F55 - GREEN



F51- BROWN



F56- TAUPE GREY

PANAMA
REF P

RECOMMENDED FOR
Contract use

COMPOSITION
Raw hide leather (corrected grain)

TEAR RESISTANCE
20N (EN3377-1)

CRACK RESISTANCE
50.000 Cycles (EN ISO 5402)

DRY RUB FASTNESS
1.000 Cycles / Vol. 5 Grey scale
(ISO 11640)


WET RUB FASTNESS
250 Cycles / Vol. 5 Grey scale
(ISO 11640)

LIGHT FASTNESS
72 h. exposition / Vol. 5 Grey scale
(EN ISA 105-B02)


FIRE TEST
BS 5852-0 - BS 5852-1
BS5852 CRib5 (optional)
UNI EN 1021-1
UNI EN 1021-2
NFPA 260/UFAC
California TB 117 Section E - AB-2998




Example: P01 - Sand



P01 - SAND



P10 - BLACK



P15 - DARK BROWN

DREAM

REF S

RECOMMENDED FOR

Domestic use

COMPOSITION

Chrome tanned raw hides.
Full grain, aniline dyeing.

DRY RUB FASTNESS

150 cycles UNI EN ISO 11640

WET RUB FASTNESS

50 cycles UNI EN ISO 11640

RESISTANCE TO WATER DROP


UNI EN ISO 15700 >3 Grey scale

TEAR RESISTANCE


>40N UNI EN ISO 3377-2

FIRE TEST

BS 5852:2006 Cigarette test
BS 5852:2006 Match test
UNI EN 1021-1: 2014 Cigarette test
UNI EN 1021-2: 2014
California TB117 Section E




Example: S50 - GRAPEFRUIT




S40 - BLACK




S45 - CLAY




S46 - ALPINE




S50 - GRAPEFRUIT



S51 - GARNET



S52 - BLUE



S54 - BROWN

RUSTICO NABUK

(VINTAGE)

REF V

RECOMMENDED FOR

Domestic use

COMPOSITION

NABUK: Through dyeing aniline

TEAR RESISTANCE

>20N (UNI EN ISO 3377-1:2012)

DRY RUB FASTNESS

50 cycles / Vol. >3 Grey scale
(ISO 11640)

LIGHT FASTNESS


Vol. >3 Blue scale (EN ISA 105-B02)

FIRE TEST

BS 5852-0 - BS 5852-1
UNI EN 1021-1
UNI EN 1021-2
NFPA 260 / UFAC
FS191 Método S903 - Port Authority of NY
IMO Resolution A.652 (16)
California TB 117 Section E - AB-2998




Example: V19 - Testa di Moro



V10 - AGED BLACK




V19 - AGED TESTA DI MORO




V22 - GREY

RUSTICO NABUK & DREAM LEATHER IMPERFECTIONS



Wrinkles




Scar



Insect bites



Neck folds



Warts


HIDE
REF C
GAULINO

COMPOSITION
Vegetable tanned cow leather.

FIRE TEST
California TB 117-2013 section 1



Example: C13 - Natural



C10 - BLACK



C13 - NATURAL



C20 - TOASTED

CLEANING AND MAINTENANCE

- DON'T

 - . Avoid direct light.
 - . Avoid sharp objects.
 - . Keep away from direct heat.
 - . Do not use household cleaners.
 - . Do not rub.
- DO

 - . Dust regularly with a soft and dry cloth.
 - . Clean with a slightly damp cloth and mild soap. Dry immediately after treatment.
 - . Use a light circular motion working toward the center of the stain.
 - . To Moisturize the leather we recommend to apply natural neutral creams.

CHARACTERISTICS

The natural characteristics of leather makes this product uneven as of all products that come from nature. Correcting processes make the leathers surface texture even and consequentially less natural. Grain changes, marks and scars caused during the life of an animal are attributes of fine quality and unaltered leather. Wrinkles, bites or other imperfections cannot be considered as defects in leather, but proof of its high quality.

The wrinkles on the surface are part of the original design. Both the number and size of the wrinkles can vary as natural leathers are being used. The elasticity itself enhances the diversity and variability of the wrinkles.

SCALA (ELASTRON)
REF CAT 1

COMPOSITION
100% Polyester

WIDTH
143

WEIGHT
386

CIGARETTE REISTANCE
Pass

ANTI-SATIN



ABRASION TEST
> 80.000

PILLING
3-4

COLOUR FASTNESS ARTIFICIAL LIGHT
ISO 105-B02: 5

COLOUR FASTNESS TO RUBBING
ISO 105-X12
Dry 5
Wet 5


WASHING CONDITIONS




Example: SC40 - SAND



SC88 - NATA



SC40 - SAND




SC01 - YELLOW



SC69 - LIMA



SC51 - CORAL




SC53 - RED




SC15 - SKY



SC57 - FOREST



SC45 - ASH



SC25 - BLACK

ROCCIA (FIDIVI)
CAT 1

COMPOSITION
100% Polyester Tade Mark Trevira CS

HEIGHT
140 cm

WEIGHT
350 g/ml - 250 g/m²

CIGARETTE REISTANCE
Pass


ANTI-SATIN

ABRASION RESISTANCE
ISO 12947/2
70.000 Rubs

LIGHT FASTNESS
ISO 105-B02
6 (blue scale)

FASTNESS TO RUBBING
4 / 5 (grey scale)

WASHING CONDITIONS




Example: R1502 – BEIGE




R1502 – BEIGE




R1503 – GREY BEIGE




R3506 – SAND




R2502 – CLAY BROWN




R2504 –ESPRESSO



R4512 – OXIDE RED



R6505 – BLUE



R2517 – GREEN



R8504 – ANTHRACITE

VORTICE (ABITEX)
REF CAT 2

COMPOSITION
100% acrylic (water repellent)

WIDTH
160

WEIGHT
260

DYEING
Solution dyed product

ROLL LENGHT
Approx. 50 lm

COLOR FASTNESS TO LIGHT
7/8, ISO 105 B02

FASTNESS TO RUBBING
dry 4/5, wet 5, ISO 105 X12.

FIRE RESISTANCE
California TB 117-2013
NFPA 260 Class 1


WASHING CONDITIONS




Example: VO102- BEIGE



VO102- BEIGE



VO300 - GARNET



VO500-YELLOW




VO503 - MUSTARD




VO603 - DARK GREY



VO702 - DARK BLUE



VO705 - LAVENDER BLUE



VO706 - NAVY BLUE



VO800 - FOREST GREEN



VO804 - GREEN TEA

WOOLEN (JAB)

REF CAT 3

COMPOSITION

100% Polyester

MARTINDALE

90.000 cycles


WIDTH

140

WEIGHT

640 GSM


WASHING CONDITIONS



Example: WO52 – PRUSSIAN




WO11 – CHERRY



WO23 – MINK



WO41 – MUSTARD




WO52 – PRUSSIAN



WO61 – MORGANITE




WO72 – SAND



WO80 – PLUM




WO84 – CERULEAN



WO85 – MINT



WO93 - SLATE



WO99 - ANTHRACITE

COMBO (FIBREGUARD)
REF CAT 4

COMPOSITION
100% Polyester

WASHING CONDITIONS



MARTINDALE
40.000 cycles

WIDTH
138


WEIGHT
539 gsm



Example: C17 - Brown




C06 - BLUE



C07 - BLACK



C09 - GREY



C10 - LIGHT GREY



C16 - BEIGE




C17 - BROWN



C18 - SAND



C19 - GREEN



C23 - GARNET

RAINBOW (JAB)*
REF CAT 4
PILLOW


COMPOSITION
100% Cotton

MARTINDALE
20.000 cycles


WIDTH
140 cm

HEIGHT
55"

WASHING CONDITIONS



Example: RA38 - WHITE WINE



RA41 - ARENA SOL




RA38 - WHITE WINE




RA33 - PALE GREEN




RA35 - OLIVE GREEN




RA56 - FRENCH BLUE




RA53 - ARIEL BLUE



RA55 - NAVY BLUE



RA67 - BRUSH PINK



RA68 - CORAL



RA11 - RUBY RED

*This fabric is exclusively designed for the "Pillow Sofa" product. Please note that it is a highly delicate material and requires careful handling to maintain its quality and appearance. Use and cleaning instructions must be followed strictly to avoid damage.


CHROMED (VARIA)
REF CAT 5
BATON PARAVANT

COMPOSITION
100% polyester

WIDTH
300 cm

WEIGHT
50 gsm

WASHING CONDITIONS



CH62 – ARGENT

LANI (VESCOM)
REF CAT 6


COMPOSITION
80% wool 20% polyamide

WASHING CONDITIONS

MARTINDALE
300.000 cycles

WIDTH
140

WEIGHT
640 GSM



Example: LA30 - OLIVE




LA03 - TOMATO




LA05 - POWDER PINK




LA11 - ECRU



LA13 - BORDEAUX




LA26 - ANTHRACITE



LA27 - ICE




LA30 - OLIVE



LA47 - GRAFITE



LA50 - COBALT



LA53 - FOREST

TEMPO (MAHARAM)
REF CAT 6


COMPOSITION
100% Polyester

MARTINDALE
100.000 cycles

WIDTH
140 cm

WEIGHT
700 gr/lm


WASHING CONDITIONS



Example: TE09 - ADORNMENT



TE02 - GRANDSTAND



TE04 - BATTLESHIP



TE07 - SWIMMING



TE08 - AMBIENCE



TE09 - ADORNMENT




TE11 - FANG




TE15 - FARMLAND




TE20 - GAZELLE




TE21 - SHITAKE



TE22 - FLAXSEED




TE24 - FLOWERY



TE25 - BURGUNDY



TE27 - PETUNIA



TE28 - CAMPSITE

PANEL (ALCANTARA)
REF CAT 9
MASHEB

COMPOSITION
68% polyester 32% polyurethane


MARTINDALE
30.000 cycles

WIDTH
142 cm

WEIGHT
230 gsm

WASHING CONDITIONS





Example: PA08 - INFANTA (NOGARO)



PA02 - ANTHRACITE



PA08 - INFANTA (NOGARO)



PA42 - SAND GREY



PA52 - LEMON YELLOW



PA69 - MANGO



PA78 - PEARL GREY

ALLE (KVADRAT)
REF CAT 9
BATON PARAVANT

COMPOSITION
92% virgin wool 8% nylon

MARTINDALE
300.000 cycles

WIDTH
140 cm

WEIGHT
680 gsm

WASHING CONDITIONS



ALO4 - CREAM



AL94 - EBONY



AL64 - MAROON

ASH


NATURAL VARNISHED
REF FR13




OAK STAINED ASH
REF FT18



BLACK STAINED ASH
REF FT10




CORAL RED STAINED ASH (RAL 3016)
REF FR20




WALNUT

WALNUT NATURE EFFECT
NG EN



OAK

STAINED OAK AND VARNISHED
(GAUDI FURNITURE)



ASH
MULTILEG

BLACK




EGG YOLK (RAL 1014)




BERRY RED (RAL 3009)



HAZY BLUE (RAL 5024)




OLIVE GREEN (RAL 6020)




BEECH PLYWOOD
SHOWTIME CHAIR


NATURAL




STAINED LIGHT BROWN - OAK




STAINED DARK BROWN (RAL 8017)




STAINED BLACK (RAL 9005)




STAINED NAVY BLUE (RAL 5008)



STAINED BERRY RED (RAL 3009)




STAINED OLIVE GREEN (RAL 6020)



STAINED PLYWOOD
ECLIPSO CHAIR


GREEN - RAL 6020



BROWN - RAL8017



BEIGE - RAL1015




BLUE - RAL 5008



STAINED PLYWOOD
SIMPLEX CHAIR

OYSTER WHITE - RAL 1013



CEMENT GREY - RAL 7033



BLACK



CLEANING AND MAINTENANCE

Furniture pieces should be placed in areas with stable temperatures and humidity. Only suitable for indoor use. It is recommended that items be placed in areas with no direct exposure to air conditioners, heat or sunlight.

Rub gently with a dry cotton cloth or with a natural wax product. Solvents and abrasive detergents should especially be avoided.

BD recommends using a damp cloth using only water. For oily, greasy stains (finger prints) we recommend using a sponge with water and a neutral detergent, and afterwards finishing off with a water dampened cloth. Using detergents containing solvents and or pure ethyl alcohol should be avoided.

As these are natural colours and tones, there may be some differences. Clear woods always tend to darken with time but this also depends on the direct exposure to light.


HIGH GLOSS LACQUER
MULTILEG



B10 - BLACK
RAL 9005



B44 - IVORY
RAL 1014



B45 - BERRY RED
RAL 3009



B46 - GREEN
RAL 6020




B42 - BLUE
RAL 5024



B48 - BROWN
RAL 8017

HIGH GLOSS / MATTE
LACQUER
EXPLORER CABINET



B31 - WHITE
RAL 9016



M54 - BLUE
RAL 5000



B41 - PASTEL GREEN
RAL 6019



M51 - GREEN
NCS 5540-G20Y



B43 - SALMON
RAL D2 040 50 30



M55 - YELLOW
RAL 1012




B10 - BLACK
RAL 9005



M55 - YELLOW
RAL 1012




B42 - BLUE
RAL 5024



M52 - CREME
NCS 1005-Y20R




B40 - CORAL RED
RAL 3016



M50 - WHITE
NCS S 0502-G


HIGH GLOSS LACQUER
BRIDGES




B3060 - GREEN
NCS 3060-B90G




B3560 - RED
NCS 3560-Y80R



B7020 - BLUE
NCS 7020-R80B



B8010 - AUBERGINE
NCS 8010-R10B



B44 - OYSTER WHITE
RAL 1013

SATIN LACQUER
ECLIPSO COLLECTION



S3009 - OXIDE RED
RAL 3009



S6020 - CHROME GREEN
RAL 6020




S1001 - BEIGE
RAL 1001



S6011 - RESEDA GREEN
RAL 6011



S2002 - VERMILION
RAL 2002



S1015 - LIGHT IVORY
RAL 1015


GLOSSY LACQUER
ECLIPSO COLLECTION



G3009 - OXIDE RED
RAL 3009




G6020 - CHROME GREEN
RAL 6020



G1015 - LIGHT IVORY
RAL 1015

FENIX
ECLIPSO
DINING TABLE


BEIGE LUXOR



GREEN COMODORO




ROSSO JAIPUR



FENIX
EXPLORER
DINING TABLE

BEIGE LUXOR




GREY PERLE




FORBO
WORKPLACE

LEATHER - 4002




CHARCOAL - 4166



MAUVE - 4172



CONIFER - 4174



PEBBLE - 4175




MARBLE
MULTILEG


WHITE CARRARA VENATO



BLACK NERO MARQUINA



GREEN PATRIZIA



MAINTENANCE AND CLEANING

BD recommends using a damp cloth using only lukewarm water. For oily, greasy stains (finger prints) we recommend using a sponge with water and a neutral detergent, and afterwards finishing off with a water dampened cloth. Using detergents containing solvents and or pure ethyl alcohol should be avoided.

GLIDES FOR CHAIRS & ARMCHAIRS

SHOWTIME 4 LEGS	QUICKCLICK SYNO (Included) Novel, natural special fibre mixture; abrasion proof, humidity repellent and sound dampening. E.g.: linoleum, ceramic, terrazzo.	
	QUICKCLICK ULTRASOFT (Included) High quality pressed wool felt glide for highly sensitive hard floorings. E.g.: Wood.	
SHOWTIME 4 LEGS	QUICKCLICK SUPER (included) From high technical POM plastic; very good sliding proprieties; for all soft surfaces. E.g.: Carpet.	
	QUICKCLICK ULTRASOFT (included) High quality pressed wool felt glide for highly sensitive hard floorings. E.g.: Wood.	
SHOWTIME SWIVEL	STANDARD (Included) Polyethylene lightweight rounded insert; for hard and semi-hard surfaces. E.g.: Concrete, ceramic, wood.	
	QUICKCLICK SUPER (Special order only - Valid until stock lasts.) From high technical POM plastic; very good sliding proprieties; for all soft surfaces. E.g.: Carpet.	
	QUICKCLICK SYNO (Special order only) Novel, natural special fibre mixture; abrasion proof, humidity repellent and sound dampening. E.g.: linoleum, ceramic, terrazzo.	
	QUICKCLICK ULTRASOFT (Special order only) High quality pressed wool felt glide for highly sensitive hard floorings. E.g.: Wood flooring only.	
GAULINO CHAIR GAULINO EASY CHAIR GAULINETTA CHAIR B	QUICKCLICK SYNO (Included) Novel, natural special fibre mixture; abrasion proof, humidity repellent and sound dampening. E.g.: linoleum, ceramic, terrazzo.	
	QUICKCLICK ULTRASOFT (Included) High quality pressed wool felt glide for highly sensitive hard floorings. E.g.: Wood.	
MINIVARIUS	STANDARD (Included) Polyethylene lightweight rounded insert; for hard and semi-hard surfaces. E.g.: Concrete, ceramic, wood.	
JAMAICA STOOL	STANDARD (Included) Polyethylene lightweight rounded insert; for hard and semi-hard surfaces. E.g.: Concrete, ceramic, wood.	
GRASSO ARMCHAIR	STANDARD (Included) Rubber semispherical non-slipping insert; for standard floorings. E.g.: Concrete, ceramic, wood.	
LOUNGER & LOW LOUNGER	STANDARD (Included) Polyethylene lightweight rounded insert; for hard and semi-hard surfaces. E.g.: Concrete, ceramic, wood.	

CONTACT

HEADQUARTERS

C/ de Ramon Turró, 126,
08005 Barcelona, Spain

SALES & ENQUIRES

sales@bdbarcelona.com

BD Barcelona, 2025.

All rights reserved. No part of this publication
may be reproduced in whole or in part without
the permission of the publisher.

View our products at bdbarcelona.com

Follow us: [@bdbarcelona](https://twitter.com/bdbarcelona)

